ILLUSTRATIVE SAMPLE · FICTIONAL SURVEY DATA

Field observation report

Southern woodland survey · July–September 2026

A demonstration of how local discoveries become a useful field record. All observations, survey sites, scores and findings in this example are fictional.

24	4	3	86.5%
Observations	Species recorded	Illustrative sites	Mean demo score



Turkey tail · Hans Hillewaert · CC BY-SA 4.0



Pixie's parasol · JJ Harrison · CC BY-SA 3.0

A collection with a story

From a single find to a pattern

Turkey tail is the most frequently recorded species in this sample, with 9 observations. Four species appear across three fictional woodland sites.

A growing record of discovery

Monthly records rise from 6 in July to 8 in August and 10 in September. This illustrates recording activity, not a measured change in fungal abundance.

Collection at a glance

Measure	Sample result
Records with field notes	24 / 24
Online / offline identifications	18 / 6
Shared / private observations	18 / 6
Review status	All identifications unverified; demonstration only


Photographs are representative species images from Wikimedia Commons, not photographs taken during this fictional survey. Full credits and links appear on page 4.

ILLUSTRATIVE SAMPLE · FICTIONAL SURVEY DATA

Patterns worth exploring

A clearer view of activity, species and place.

Recording activity



Observation count by month. Sampling effort is not standardised in this fictional example.

Species register

Species	Records	Collection share
Turkey tail *Trametes versicolor*	9	37.5%
Pixie's parasol *Mycena interrupta*	6	25.0%
Fly agaric *Amanita muscaria*	5	20.8%
Sulphur tuft *Hypholoma fasciculare*	4	16.7%

Regional context

Fictional site	Records	Example field focus
Fern Gully Track	8	Shaded fallen timber and mossy edges
Stringybark Reserve	8	Woodland track and decaying branches
Riverbend Loop	8	Streamside logs and sheltered stumps

What the notes can reveal

Substrate, moisture, surrounding vegetation and repeat visits add context that a species name alone cannot capture.

Next visit: make it comparable

Use the same route, record survey effort and add clear photographs. Flag uncertain identifications for expert review.

> The scores in this report are invented examples, not a benchmark of Fungi-ID or Kindwise accuracy. No conclusions about edibility or real biodiversity can be drawn from this dataset.

ILLUSTRATIVE SAMPLE · FICTIONAL SURVEY DATA

The field notebook

Four discoveries, documented with context.

Representative photographs paired with fictional notes. These are illustrative species records, not verified identifications of surveyed specimens.



Turkey tail · Hans Hillewaert · CC BY-SA 4.0

DEMO-001 · 2026-07-02 · fictional record

Turkey tail

Trametes versicolor

Example site: Fern Gully Track
Illustrative score: 78% · Offline

Layered brackets on a fallen branch; upper surface photographed and substrate noted.



Pixie's parasol · JJ Harrison · CC BY-SA 3.0

DEMO-002 · 2026-07-06 · fictional record

Pixie's parasol

Mycena interrupta

Example site: Stringybark Reserve
Illustrative score: 85% · Online

Small blue caps beside a shaded log; damp microhabitat and surrounding moss recorded.



Fly agaric · Hans Hillewaert · CC BY-SA 4.0

DEMO-004 · 2026-07-15 · fictional record

Fly agaric

Amanita muscaria

Example site: Fern Gully Track
Illustrative score: 80% · Online

Red cap with pale patches beside a woodland track; observation photographed without collecting.



Sulphur tuft · Pethan · CC BY-SA 3.0

DEMO-005 · 2026-07-20 · fictional record

Sulphur tuft

Hypholoma fasciculare

Example site: Stringybark Reserve
Illustrative score: 87% · Offline

Cluster near a decaying stump; return visit requested for further documentation.

> Never consume a fungus based only on an application identification. Seek qualified local expertise.

ILLUSTRATIVE SAMPLE · FICTIONAL SURVEY DATA

Observation register

Complete fictional register · 24 records

ID	Date	Species	Site	Score	AI
001	07-02	Turkey tail	FG	78%	Offline
002	07-06	Pixie's parasol	SR	85%	Online
003	07-10	Turkey tail	RL	92%	Online
004	07-15	Fly agaric	FG	80%	Online
005	07-20	Sulphur tuft	SR	87%	Offline
006	07-26	Turkey tail	RL	94%	Online
007	08-01	Pixie's parasol	FG	82%	Online
008	08-04	Fly agaric	SR	89%	Online
009	08-08	Turkey tail	RL	96%	Offline
010	08-12	Pixie's parasol	FG	84%	Online
011	08-16	Sulphur tuft	SR	91%	Online
012	08-20	Turkey tail	RL	79%	Online
013	08-24	Fly agaric	FG	86%	Offline
014	08-29	Pixie's parasol	SR	93%	Online
015	09-02	Turkey tail	RL	81%	Online
016	09-05	Sulphur tuft	FG	88%	Online
017	09-08	Pixie's parasol	SR	95%	Offline
018	09-11	Fly agaric	RL	83%	Online
019	09-14	Turkey tail	FG	90%	Online
020	09-17	Pixie's parasol	SR	78%	Online
021	09-20	Sulphur tuft	RL	85%	Offline
022	09-23	Turkey tail	FG	92%	Online
023	09-26	Fly agaric	SR	80%	Online
024	09-29	Turkey tail	RL	87%	Online

All dates are in 2026. FG = Fern Gully Track; SR = Stringybark Reserve; RL = Riverbend Loop. Site names are fictional; no real observation coordinates are supplied.

Photograph credits

- Trametes versicolor.jpg — Hans Hillewaert. CC BY-SA 4.0.
- Mycena interrupta.jpg — JJ Harrison. CC BY-SA 3.0.
- Amanita muscaria (fruiting body).jpg — Hans Hillewaert. CC BY-SA 4.0.
- Hypholoma fasciculare.jpg — Pethan. CC BY-SA 3.0.

Photos are reproduced without visual changes, scaled proportionally to fit. Their original licences apply. The images do not document the fictional sites or dates above. Photographers do not endorse this report or application.

Sample report prepared for the Fungi-ID pre-launch website. This illustrative design is separate from a live app export. Generated 3 October 2026.